

WINDOW TREATMENTS

UNIVERSITY CONTACT:

Facilities Planning & Construction
(302)831-1744

GENERAL INFORMATION:

1. All Exterior windows to receive window treatments.
2. Mini Blinds, 1" strips, white (similar to exterior trim paint) are mandatory for building on the "Green" and are preferred in other areas. Mini blinds, when used, should have dividers on operating string.
3. Drapes to be provided when requested and approved by UD.
4. Blackout shades for seminar rooms/classrooms to be provided on all exterior, interior and glazed doors and approved by UD. Larger windows to receive motorized shades as specified, and approved by UD. Motor control needs to provide intermediate stop control for motorized shades. Installation of guides for roll down doors or blackout shades should have either a backer board or hollow wall fasteners.
5. Blackout blinds installed on windows that open must not have side guide tracks unless the design is approved by Facilities Management.
6. All products must be commercial grade for heavy duty use.
7. Use shades for Residential Halls.

APPROVED MANUFACTURERS:

Academic Buildings

Mecho Shade & Draper Shade & Screen Co.for blackout shades

Residence Halls

Mecho Shade for Residence Rooms: Weave to be 1%; Fabric to be # 911 Porcelain, unless otherwise approved; Metal fascia to be clear anodized, unless otherwise approved.
Mecho Shade for Public Areas/Lounges: Weave to be 5%; Fabric to be #911 Porcelain, unless otherwise approved; Metal fascia to be clear anodized, unless otherwise approved.

DO'S AND DON'TS:

DO'S: N/A

DON'TS:

DO NOT Provide window treatments for interior windows unless otherwise requested and approved by UD.

DO NOT Use residential grade products.

-- END OF SECTION--