

Signage & Vehicle Brand Style Guide

1

Signage and Vehicle Brand Style Guide

The purpose of this brand style guide is to have a campus-wide unified and comprehensive look for all building identity, directional, wayfinding, address and LED panel signage on University buildings, walkways, entrances, etc.

This guide is part of the brand platform set that helps each of the University of Delaware's communications efforts to work in concert. A brand platform is a set of guidelines that serves as a common foundation for brand development and governs all aspects of a brand's visual elements, messages and implementation. To be successful, every entity in the UD community needs to help deliver the UD brand identity and message through its programs and activities.



Signage Brand Style Guide

Signage

Campus signage, from building identification to directional signs, is another way in which UD maintains a consistent brand identity. This section outlines the standards and guidelines for various types of University signage.


All exterior building and directional signage should be developed in cooperation with the University of Delaware's Planning and Project Delivery department and the UD Architect:


142 General Services Building 222 S. Chapel St. Newark, DE 19716-1744 Fax: 302-831-8294 Telephone: 302-831-1744 Email: ud-fpc@udel.edu

To request a new sign, please submit a completed "University of Delaware New Exterior Sign Request Form" to the Planning and Project Delivery department.

The Sign Request Form may be found online at: http://www.facilities.udel.edu/faculty.aspx. On that page, select "Requesting Signage."

Post style





Double-Sided Aluminum Fabricated Building Identity Sign, to include:

- Overall Size 60"h x 48"w
- (1) Header Panel 18"h x 48"w
- (1) Directional Panel 42"h x 48"w
- .125" Painted matte black aluminum
- Posts: SignComp.com, series 3, part #1007 round

 Full Color Graphics File - 3M IJ180C Control Tac vinyl with 3M8518 Over-laminate Vinyl Graphics
 •full header-blue to black gradient with UD seal ghosted and white UD Primary logo

Single Colors - 3M Scotchcal 50 Vinyl Graphics
 •reflective white
 •bright yellow 180C-15
 •vivid blue 180C-17

Installation:

- Installation of above between (2) 3" x 3" painted aluminum posts in dirt set in concrete

- Height to top of the sign - approx. 80"



Campus-wide

Double-Sided Aluminum Fabricated Wayfinding Sign, to include:

- Overall Size approx. 60"h x 48"w
- (1) Header Panel 18"h x 48"w
- Up to (7) Directional Panels 6"h x 48"w with options for larger panels
- .125" Painted matte black aluminum
- Posts: SignComp.com, series 3, part #1007 round


 Full Color Graphics File - 3M IJ180C Control Tac vinyl with 3M8518 Over-laminate Vinyl Graphics
 •full header-blue to black gradient with UD seal ghosted and white UD Primary logo

Single Colors - 3M Scotchcal 50 Vinyl Graphics
white
bright yellow 180C-15
vivid blue 180C-17

Installation:

- Installation of above between (2) 3" x 3" painted aluminum posts in dirt set in concrete

- Height to top of the sign - Aprox 80"




roadway directional specialty 48 x 80 Campus-wide

Double-Sided Aluminum Fabricated Wayfinding Sign, to include:

- Overall Size 72"h x 48"w
- (1) Header Panel 18"h x 48"w
- (2) Logo Directional Panels 12"h x 48"w
- (5) Directional Panels 6"h x 48"w
- .125" Painted matte black aluminum
- Posts: SignComp.com, series 3, part #1007 round
- Full Color Graphics File 3M IJ180C Control Tac vinyl with 3M8518 Over-laminate Vinyl Graphics
 •full header-blue to black gradient with UD seal ghosted and white UD Primary logo
- Single Colors 3M Scotchcal 50 Vinyl Graphics
 •reflective white
 •bright yellow 180C-15
 •vivid blue 180C-17
 •apple green 180C-196

Installation:

- Installation of above between (2) 3" x 3" painted aluminum posts in dirt set in concrete
- Height to top of the sign approx. 80"



Single-Sided Aluminum Fabricated Building Identity Sign, to include:

- Overall Size 72"h x 18"w
- (1) Header Panel 9"h x 18"w (including height of the logo medallion)
- (1) Cast aluminum UD medallion (blue/silver)
- (1) Directional Panel 63"h x 18"w
- .125" Painted matte black aluminum

 Full Color Graphics File - 3M IJ180C Control Tac vinyl with 3M8518 Over-laminate Vinyl Graphics
 •full header-blue to black gradient with separately applied 8" UD logo medallion

Single Colors - 3M Scotchcal 50 Vinyl Graphics
 •reflective white
 •bright yellow 180C-15
 •vivid blue 180C-17

Installation:

- Installation of above on (2) 4" x 4" painted aluminum square posts in dirt set in concrete
- Height to top of the sign approx. 72"



Single-Sided Aluminum Fabricated Building Identity Sign, to include:

- Overall Size 51"h x 24"w
- (1) Header Panel 9"h x 24"w (including height of the logo medallion)
- (1) Directional Panel 42"h x 24"w
- .125" Painted matte black aluminum
- Posts: SignComp.com, series 3, part #1007 round


 Full Color Graphics File - 3M IJ180C Control Tac vinyl with 3M8518 Over-laminate Vinyl Graphics
 •full header-blue to black gradient with separately applied 8" UD logo medallion

Single Colors - 3M Scotchcal 50 Vinyl Graphics
 •reflective white
 •bright yellow 180C-15
 •vivid blue 180C-17

Installation:

- Installation of above between (2) 3" x 3" painted aluminum posts in dirt set in concrete
- Height to top of the sign approx. 72"

The Green



walking directional 18 x 96 The Green

Double-Sided Aluminum Fabricated Building Identity Sign, each side to include:


- Overall Size 96"h x 18"w
- (1) Header Panel 9"h x 18"w (including height of the logo medallion)
- (1) Cast aluminum UD medallion (blue/silver)
- (1) Directional Panel 87"h x 18"w
- .125" Painted matte black aluminum
- Full Color Graphics File 3M IJ180C Control Tac vinyl with 3M8518 Over-laminate Vinyl Graphics
 •full header-blue to black gradient with separately applied 8" UD logo medallion
- Single Colors 3M Scotchcal 50 Vinyl Graphics
 •reflective white
 •bright yellow 180C-15
 •vivid blue 180C-17

Installation:

- Installation of above on (2) 4" x 4" painted aluminum square posts in dirt set in concrete
- Height to top of the sign approx. 96"

Trabant University Center LED double-sided sign





8.5"

building address small 8.5 x 10 Campus-wide Single-Sided Aluminum Fabricated Building Address Sign, to include:

- Overall Size - 10"h x 8.5"w

- (1) Header Panel - 2.25"h x 8.5"w

- (1) Address Panel - 7.75"h x 8.5"w

- .25" Painted matte black aluminum

 Full Color Graphics File - 3M IJ180C Control Tac vinyl with 3M8518 Over-laminate Vinyl Graphics
 •full header-blue to black gradient with UD seal ghosted and white UD Primary logo


Single Colors - 3M Scotchcal 50 Vinyl Graphics
 •reflective white
 •bright yellow 180C-15
 •vivid blue 180C-17

Installation:

- Installation of above pin-mounted flat on wall at location.

-Installation 60" AFF

10″



12 x 14.5

Single-Sided Aluminum Fabricated Building Address Sign, to include:

- Overall Size 14.5"h x 12"w
- (1) Header Panel 3.25"h x 12"w
- (1) Address Panel 11.25"h x 12"w
- .25" Painted matte black aluminum


Full Color Graphics File - 3M IJ180C Control Tac vinyl with 3M8518 Over-laminate Vinyl Graphics
 •full header-blue to black gradient with UD seal ghosted and white UD Primary logo

Single Colors - 3M Scotchcal 50 Vinyl Graphics
•reflective white
•bright yellow 180C-15
•vivid blue 180C-17

Installation:

- Installation of above pin-mounted flat on wall at location.

-Installation 60" AFF



Single-Sided Aluminum Fabricated Building Address Sign, to include:

- Overall Size 24"h x 20"w
- (1) Header Panel 5.5"h x 20"w
- (1) Address Panel 18.5"h x 20"w
- .25" Painted matte black aluminum

 Full Color Graphics File - 3M IJ180C Control Tac vinyl with 3M8518 Over-laminate Vinyl Graphics
 •full header-blue to black gradient with UD seal ghosted and white UD Primary logo

Single Colors - 3M Scotchcal 50 Vinyl Graphics
•reflective white
•bright yellow 180C-15
•vivid blue 180C-17

Installation:

- Installation of above pin-mounted flat on wall at location.


- Installation 60" AFF



STAR Campus 72x120 pylon building signage




STAR Campus Specialty signage for internal/UD Public Entities



STAR Campus Specialty signage for Commercial Tenants

UD Downtown Building Sign (Wilmington, DE)










UD SIGNAGE









24" Parking Sign (GRAY Lot)




Font Helvetica Bold CAPS, no size distortio




24" Parking Sign (Pearson Lot)




Font Helvetica Bold CAPS, no size distortio




24" Parking Sign (RED Lot)






30" Public Parking Lot Sign


30" Parking Lot Sign










18" Service Vehicle Sign






18" Reserved Space Sign






18" ADA Sign









8" Motorcycle Sign


Colors





Font Helvetica Bold CAPS, no size distortion




18" Pedestrian Walkway Sign










18" Shuttle Bus Stop Sign






24" Reserved Football







18" Low Emitting & Fuel Efficient Vehicles Sign

	White	Blue	Acrylic Polyurethane
White 3M 5100 (reflective) Intense Blue (180C-47) 3M Controltac Plus Graphic Film	White	Pantone 2945C	Pantone Color Matching System
	White 3M 5100 (reflective)	Intense Blue (180C-47)	3M Controltac Plus Graphic Filn
	Colors		




18" UD Electric Vehicle Sign







12" Tobacco-Free Campus Sign




Font





96"& 48" Parking Garage Signs







36" Fee Structure Sign






18" UD Garage Assistance Sign





UD Security Monitoring Signs



alternate version

Security cameras

and video

monitoring in op<u>eration.</u>

Font Helvetica Bold CAPS, no size distortion

12" x 18"

Security cameras and video monitoring in operation. 12" x 12" and 18 " x 18"




Examples of University Signage

A. Building Identification/Address Signs, Surface-mounted Material: Aluminum (see size variations and details on previous pages) Font: Myriad Pro Bold, Myriad Pro Semibold Dimensions: 7" x 8", 8.5" x 10", 12" x 14.5", 20" x 24" Notes: Primary logo with Building/Department Identification

B. Building Card Reader Signs, Surface-mounted Material: PVC Logo: white Circle UD Dimensions: 8" x 8"

C. Building Identification Signs, Surface-mounted Material: Cast bronze (see photos)

Font: Stone Serif Medium Dimensions: 19" x 15" Notes: UD Circle logo with Building/Department Identification and address



Examples of University Signage

D. Plaques Material: Bronze Font: Garamond Premiere Pro, Semibold Size: Varies Notes: Dedication/Historic Building/Donor Plaque

E. Building History Sign, Freestanding Plaque

Material: Bronze, cement, brick Font: Garamond Premiere Pro Name: Semibold 60 pt. Body text: Semibold 36 pt.

Size:

Brick Base: 32" wide x 25.5" deep x 16" high Top of Base (white cement): 24" wide x 18.5" deep Plaque: 18" wide x 12" high 1/4" border, single line Background color: Dark Oxide Material: Bronze Background texture: Stipple Total height: approx. 28" Notes: Dedication/History Plaque

E-1. Variation

Can also have commemorative plaque on front face brick base. (Must be approved) Bronze Plaque: 9" wide x 6" high









Building Naming Pin Lettering A. Building Identification

Material: metal (preferably black, bronze or brushed steel/aluminum/nickel) Dimensions: 7-10" height Font/Typeface: Stone Serif Regular/Medium Kerning: approx. +35


All final heights and kerning will be determined and approved by UD.




UD Walkway Gates

Material: metal, painted black Logo: modified version of Circle UD logo/mark (please obtain correct vector logo art from Communications and Public Affairs).

Final approval of gate mockup must be approved by CPA for consistency and correct use of logo/mark..







Construction Sign 4' x 6' Variation



Construction Sign 4' x 6' Variation with Funding Attachment



Typical Architect Rendering Construction Sign 4' x 8'

Architect Rendering Construction Sign Variation 4' x 8'






Typical Construction Title Sign 4' x 8'



New offices for the College of Arts & Sciences in the former Blue & Gold Club


Construction Title Sign 4' x 8' Variations



A Dynamic Two-Level Collegiate Superstore™ on Newark's Main Street



Sample Pedestrian Detour Map Sign 4' x 8'



Construction Fence Wind Screen Signage





Vehicle Brand Style Guide

UD Campus Vehicles

The following illustrations and guidelines identify the proper use, placement and color of the University's logo on campus vehicles.

For questions about vehicular signage with respect to layout, colors and/or use of the UD logo, or to obtain a high-resolution electronic file, please contact the Communications and Public Affairs at 302-831-2791. Logo color, vinyl color chart




	selected vinyl manufacturers			
Color	Avery	3M Opaque	3M Reflective	
(UD Blue) MOTOR POOL ONLY	-Impulse Blue A6587-0 A6 opaque (6 year) or	-Vivid Blue 180C-17 opaque		
	or -Vivid Blue A9570-0 A9 opaque (9 yr)			

Any questions concerning the layout of UD logos or to obtain a hi-resolution electronic file, please contact OCM 302-831-2791.

Motor Pool Vehicles

Guidelines for placement of UD logo and identity




ldentity Legend		
Use official art files only -14" wide x 5.9" h (smaller) logo - UD Primary Logo – (Blue) PMS 2945c see vinyl color chart Do NOT attempt to recreate!	ELAWARE,	
-2 inch identity number -PMS 2945c – Blue -Stone serif Semibold Italic font	123	

Any questions concerning the layout of UD logos or to obtain a hi-resolution electronic file, please contact OCM 302-831-2791.

Service Vehicles

Guidelines for placement of UD logo and identity




Identity Legend		
Use official art files only -18" wide x 5.9" h (larger) logo - UD Primary Logo – (Blue) PMS 2945c Reflective* see vinyl color chart Do NOT attempt to recreate!	ELAWARE,	
-2 inch identity number -PMS 2945c – Blue Reflective* -Stone serif Semibold Italic font	123	

Any questions concerning the layout of UD logos or to obtain a hi-resolution electronic file, please contact OCM 302-831-2791.

Motor Pool and Service Vehicles

Guidelines for placement of UD logo and identity number for vehicles other than car.



UNIVERSITY OF ELAVARE